

诚信者成功 勤劳者获益

THE ONE CREDIBLE WINS

THE ONE INDUSTRIOUS GAINS

Storage & Handling Equipmene
QINGDAO HUATIAN HAND TRUCK CO.,LTD.

817, Dongyuan Road, West Coast New District,
Qingdao, China

266431 中国青岛西海岸新区东元路817号

TEL: 86-532-83196287/86610388

FAX: 86-532-83195157/86610399

E-mail: sales@huatian-china.com

WEB SITE: WWW.HUATIAN-CHINA.COM



版权所有, 违者必究!
All rights reserved. Violators will be prosecuted.



Storage & Handling Equipment

SECURITY UNITS & FOLDING TRUCKS

RACKS

HAND TRUCKS

LOGISTIC CARTS

ACCESSORIES



青岛华天车辆有限公司

QINGDAO HUATIAN HAND TRUCK CO.,LTD.

企业文化
Enterprise culture

管理理念 Management philosophy



以管理创造效益，以创新促进发展

以质量谋求生存，以人为本竞争未来

Create profit by management and promote development by innovation

Seek survival by quality and compete for the future by talent

企业理念 Company Philosophy



诚信者成功，勤劳者获益。

THE ONE CREDIBLE WINS THE ONE INDUSTRIOUS GAINS

产品理念 Product concept



简易您的生活。MAKE YOUR LIFE EASIER




严格把关，做优质产品。
Strictly control on Production Process to secure high quality products



设备
Equipment

设备齐全 制造各种产品。
Equipment manufacturing all kinds products.





Qingdao Huatian Hand Truck Co.,Ltd.,which was established in January 2000,is an export-oriented enterprrie mainly dealing with manufacture and sale of wheel barrows, tyres,metal products,rubber products,plastic products and aluminium products. It is a leading export enterprise in machinery industry of Shandong Province and a Top100 enterprise in Qingdao City,and it has been appraised as a honest and faithful enterprise for many years. It was listed into the "Top100 Potential Enterprises in China "in 2005 and"Top100 Developing Enterprises in China "in 2006 by Forbes. It was appraised as an "Intangible Champion of Top 10 Industry in China"in 2006 and "Top 100 Enterprise in Qingdao"and"Top 500 Enterprise of Machinery Industry in China"in 2007.

Since it's establishment,HUATIAN is always insisting on the tenet of "credit first",which makes congntinuous improvement of sales and achived quick and stable development.At present,the company covers an area of 300,000m² with more than 2,000 employees,and annually manufactures more than 5 million wheel barrows,10 millon rubber tyres and 30 million plastic products, which are sold to more than 60 countries and regions such as USA,UK,Germany, Canada,Japan,Australia,etc.The annual sale exceeds USD 100 million.

HUATIAN insists on providing reliable products for the customers and emphasizes quality management and safety of products.It has acquired the ISO9001 Quality System Certificate,and the tyre department has acquired the CCC Certificate.Moreover, many kinds of products have acquired the GS/TUV Certificate.


青岛华天车辆有限公司创建于2000年1月，是一家外向型企业，主要生产和销售手推车、工具车等系列产品、轮胎、金属制品、橡胶制品、塑料制品和铝制品。系山东省机械行业出口创汇先进单位、青岛百强企业，连续多年被评为省、市级“重合同、守信用”企业与出口创汇先进单位。2005年荣登“福布斯”中文版“2005年中国潜力100榜”。同年被录入“2006年中国成长企业百强”榜，2006年被评为“中国十大行业隐形冠军”，2007年荣列青岛企业100强，荣登中国机械500强荣誉称号。

公司自成立以来，始终坚持诚信为本的经营理念，销售业绩不断攀登，实现了快速、稳定的发展。目前，企业占地面积30万平方米，职工2000多人，年产各种手推车500多万台，橡胶轮胎1000多万条，塑料制品3000万件，产品销往美国、英国、德国、加拿大、日本、澳大利亚等60多个国家和地区，年销售额超过1亿美金。


公司始终坚持向客户提供质量可靠地产品，重视质量管理，重视产品的安全性能。目前通过了ISO9001质量体系认证，轮胎企业通过了CCC认证，同时，已有多产品获得了GS/TUV认证，ISO14001环境管理体系认证,FSC森林认证等。

“诚信” “ 励志” “创新” “ 开拓进取”
" Keeping reputation" , inspirational
innovation " , explores and develops





Market Distribution



质量管理体系

Quality Management System

质量方针

严格把关，造优质产品
 诚心诚意，让顾客满意
 追求卓越，创行业领先

Quality Policy

Strictly control on production process to secure high quality products

Serve sincerely and honestly to make the customers satisfied

Pursuit of excellence to be the leader of the same industry


管理体系支持

Quality Management System Support

ISO9001-2008	2018.6
GS	2017.6
CCC	2017.5
ISO14001-2015	2018.6
FSC	2018.6
BSCI	2017.10
NSF	2016.10
AEO	2016.12



PH0801
 Capacity:60 kg
 Overall size:
 L420xW285xh100
 Wheel:3"
 QTY:4900PCS/40'GP



PH1008E
 Capacity:80KG
 Overall size:
 L495xW365xH110
 Wheel:2"
 QTY:2600PCS/40GP



PH1008
 Capacity:100 kg
 Overall size:
 L600xW400xh110
 Wheel:2.5"
 QTY:2600PCS/40'GP



TC4320
 Load Capacity: 100kg
 Wheel: 4" Solid
 Body Size:L540xW375xH175
 QTY: 1400PCS/40'GP



TC4321
 Load Capacity: 100kg
 Wheel: 3" Solid
 Body Size:L680xW475xH143
 QTY: 1458PCS/40'GP



TC4313
 Load Capacity: 100kg
 Wheel: 3" Solid
 Body Size:L660xW420xH105
 QTY: 2870PCS/40'GP



TC4336
 Load Capacity: 250kg
 Wheel: 3" Solid
 Body Size:
 L760xW290xH800xh110
 QTY: 840PCS/40'GP



PH1537
 Capacity:150 kg
 Overall size:
 L700xW445xH875xh155
 Wheel:4"
 QTY:1100PCS/40'GP



PH3020
 Capacity:300 kg
 Overall size:
 L900xW600xH870xh200
 Wheel:5"
 QTY:580PCS/40'GP



PH3016P
 Capacity:300kg
 Overall size:
 L900xW600xH890xh215
 Wheel:5"
 Qty:540pcs/40'GP



PH3020S
 Capacity:300 kg
 Overall size:
 L900xW600xH900xh200
 Wheel:5"
 QTY:550PCS/40'GP



PH3014
 Capacity:300 kg
 Overall size:
 L900xW600xH1030xh760
 Wheel:5" TPR
 QTY:580PCS/40'GP



PH3017
 Capacity:300 kg
 Overall size:
 L865xW600xH905xh150
 Wheel:4"
 QTY:580PCS/40'GP



TC4629
Load Capacity:400kg
Wheel:6" Solid
Body Size:L655xW850xH1700
QTY:120PCS/40'GP



TC4629A
Load Capacity:400kg
Wheel:6" Solid
Body Size:L655xW850xH1700
QTY:120PCS/40'GP



TC4634
Load Capacity:400kg
Wheel:6" Solid
Body Size:L600xW850xH1700
QTY:120PCS/40'GP



TC4635
Load Capacity:400kg
Wheel:6" Solid
Body Size:L600xW850xH1700
QTY:120PCS/40'GP



TC4636
Load Capacity:400kg
Wheel:6" Solid
Body Size:L600xW850xH1700
QTY:120PCS/40'GP



TC4637AL
Load Capacity:400kg
Wheel:6" Solid
Body Size:L600xW800xH1700
QTY:120PCS/40'GP



TC4631
Load Capacity:400 kg
Wheel:6" Solid
Body Size:L1085xW790xH1700
QTY:122PCS/40'GP



TC4632
Load Capacity:400 kg
Wheel:6" Solid
Body Size:L1095xW790xH1700
QTY:122PCS/40'GP



TC4633
Load Capacity:400 kg
Wheel:6" Solid
Body Size:L1085xW790xH1700
QTY:122PCS/40'GP

客户为中心

齐心

大珠山工业园

Dazhushan Industrial Park

塑料分厂 Plastic Product Factory

金属分厂 Metal Product Factory



TC4630
Load Capacity:400kg
Wheel:6" Solid
Body Size:L1100xW805xH1700
QTY:120PCS/40'GP



TC4616
Load Capacity:400 kg
Wheel:6" Solid
Body Size:L1100xW800xH1700
QTY:122PCS/40'GP



TC4626
Load Capacity:400 kg
Wheel:5" Solid
Body Size:L1000xW800xH1770
QTY:122PCS/40'GP



TC4645
Load Capacity:400 kg
Wheel:5" Solid
Body Size:L1000xW800xH1770
QTY:122PCS/40'GP



TC4843
Load Capacity:1000kg
Body Size:
L1000xW800xH1700
QTY:660PCS/40'GP




TC4844
Load Capacity:1000kg
Body Size:
L1000xW800xH1700
QTY:660PCS/40'GP



TC4848
Load Capacity:2000kg
Body Size:
L1500xW1200xH1700
QTY:45PCS/40'GP



Tc4841
Load Capacity:1000kg
Body Size:
L1600xW1200xH1900
QTY:45PCS/40'GP



TC4842
Load Capacity:1000kg
Body Size:
L1930xW2020xH1330
QTY:45PCS/40'GP




TC4848
Load Capacity:1000kg
Body Size:
L1600xW1200xH1900
QTY:45PCS/40'GP





TI-175
Load Capacity(KG):300
Body Size:
L1220xW455xH1825
QTY: 660PCS/40'GP



TC4826
Load Capacity(KG):300
Wheel:6"/5"Solid
Body Size:L1285xW420xH1495
QTY:500PCS/40'GP




TC4815
Load Capacity:300KG
Body Size:L1590 xW405xH1570
Wheel:6"5" Solid
QTY:450 PCS/40'GP



TC4816
Load Capacity:300KG
Body Size:L1590 xW405xH1570
Wheel:6"5" Solid
QTY:450 PCS/40'GP



TC4821
Load Capacity:400 kg
Wheel:8"/5" Solid
Body Size:L1600xW410xH1580
Qty:450pcs/40'HQ



TC4822
Load Capacity(KG):400
Wheel:8"/5" Solid
Body Size:L1515xW615xH1610
QTY:360PCS/40'HQ



TC4828
Load Capacity:400 kg
Wheel:8"/4" Solid
Body Size:L1580xW408xH1520
QTY:450PCS/40'HQ



TC4864
Wheel:8" Solid
Body Size:L1000xW800xH1770
QTY:160PCS/40'GP



■ **TC4191**
Load Capacity:400 kg
Wheel:4.00-8"
Body Size:L1950xW950xH1490
QTY:80PCS/40'GP



■ **PH5006**
Capacity:500 kg
Overall size:
L900xW600xH870xh200
Wheel:6"
QTY:340PCS/40'GP



■ **TC4190**
Load Capacity:400 kg
Wheel:4.00-8"
Body Size:L1200xW800xH420
QTY:122PCS/40'GP



■ **PH3011A**
Capacity:300 kg
Overall size:
L970xW500xH1040xh290
Wheel:8x2"
QTY:480PCS/40'GP



■ **PH3019**
Capacity:300 kg
Overall size:
L875xW570xH870xh150
Wheel:5" TPR
QTY:520PCS/40'GP



■ **TC4123AL**
Load Capacity: 200.kg
Wheel: 5" Solid
Body Size:L1070xW495xH910
QTY: 240 PCS /40' GP



■ **TC4622**
Load Capacity:500 kg
Wheel:5" Solid
Body Size:L1340xW555xH1900
QTY:380PCS/40'GP



■ **TC4341**
Load Capacity:200KG
Body Size:
L 750 xW610xH175
Wheel:3" Solid
QTY:660 PCS/40'GP



■ **TC4833A**
Load Capacity:300kg
Wheel:8" x2" Solid
Body Size:L1180xW570xH1220
QTY:300 PCS/40' GP



■ **TC4640**
Wheel:8" Solid
Body Size:L1200xW600xH1770
QTY:122PCS/40'GP



■ **TC4639**
Wheel:2" Solid
Body Size:L800xW400xH1000
QTY:600PCS/40'GP



■ **TC4833B**
Load Capacity:320kg
Wheel:8" x2" Solid
Body Size:L1205xW570xH1175
QTY:260 PCS/40' GP



TC4653
 Load Capacity:400 kg
 Wheel:5" Solid
 Body Size:L820xW710xH1700
 QTY:420PCS/40'GP



TC4653S
 Load Capacity:400 kg
 Wheel:5" Solid
 Body Size:L850xW650xH1700
 QTY:420PCS/40'GP



TC4642
 Load Capacity:400 kg
 Wheel:8" Solid
 Body Size:L1000xW800xH1770
 QTY:90PCS/40'GP



TC4643
 Load Capacity:400 kg
 Wheel:8" Solid
 Body Size:L1000xW800xH1770
 QTY:122PCS/40'GP



TC4646
 Load Capacity:400 kg
 Wheel:5" Solid
 Body Size:L1000xW800xH1770
 QTY:122PCS/40'GP



TC4647
 Load Capacity:400 kg
 Wheel:5" Solid
 Body Size:L1000xW700xH1600
 QTY:122PCS/40'GP



TC4647-1
 Load Capacity:400 kg
 Wheel:5" Solid
 Body Size:L1000xW700xH1600
 QTY:122PCS/40'GP



TC4648
 Load Capacity:400 kg
 Wheel:5" Solid
 Body Size:L1000xW700xH1600
 QTY:122PCS/40'GP



TI-174
Load Capacity:400 kg
Wheel:5" Solid
Body Size:L1220xW455xH1825
QTY: 660PCS/40'GP



TC4647
Load Capacity:400kg
Wheel:6" Solid
Body Size:L800xW690xH1760
QTY:400PCS/40'GP



TC4847
Body Size:
L1000xW800xH1770
QTY:460PCS/40'GP



TC4846
Body Size:
L1000xW800xH1770
QTY:460PCS/40'GP



TC4861
Load Capacity:150 kg
Wheel:8" Solid
Body Size:L1000xW800xH1770
QTY:240PCS/40'GP



TC1050
Load Capacity:150 kg
Wheel:6" Solid
Body Size:L515xW665xH1000
QTY:560PCS/40'GP



TC4670
Load Capacity:400 kg
Wheel:5" Solid
Body Size:L1050xW660xH1750
QTY: 240PCS/40'GP



TC4860
Capacity:100 kg
Wheel:8" Solid
Body Size:L1000xW600xH1770
QTY:320PCS/40'GP



TC4807
Capacity:300 kg
Wheel:6" Solid
Body Size:L655xW850xH1700
QTY: 120PCS/40'GP



TC4102
 Load Capacity:100kg
 Wheel: 5" Solid
 QTY:1400PCS/40`GP



TC4103
 Load Capacity:100kg
 Wheel: 5" Solid
 QTY:1180PCS/40`GP



TC4110
 Load Capacity: 100 kg
 Wheel: 4" Solid
 Body Size:L755xW415xH875
 QTY: 1400 PCS /40` GP



TC4113
 Load Capacity: 100 kg
 Wheel: 4" Solid
 Body Size:L830xW430xH870
 QTY: 1080 PCS /40` GP



TC4217
 Load Capacity:300KG
 Body Size:L1030 xW475xH800
 Wheel:5" Solid
 QTY:240 PCS/40`GP

TC4122
 Load Capacity: 300 kg
 Wheel: 4" Solid
 Body Size:L1380xW565xH880
 QTY: 200 PCS /40` GP



TC4133
 Load Capacity:150kg
 Wheel: 4" Solid
 Body Size:L870xW490xH950
 QTY:520PCS/40`GP



TC4134
 Load Capacity:150kg
 Wheel: 4" TPR
 Body Size:L850xW480xH1000
 QTY:480PCS/40`GP



TC4135
 Load Capacity:150kg
 Wheel: 4" Solid
 Body Size:L990xW490xH1020
 QTY:480PCS/40`GP



TC4143
 Load Capacity:150kg
 Wheel: 4" TPR
 Body Size:L1100xW520xH1560
 QTY:360PCS/40`GP



TC4140
 Load Capacity:150kg
 Wheel: 4" Solid
 Body Size:L1150xW515xH1025
 QTY:600PCS/40`GP



HT2106
 Capacity: 180 kg
 Wheel: 10" x 3.00-4 Air
 Body Size:
 L1170 x W1480 x H490 x W210
 QTY: 560 pcs /40' GP



HT2022A
 Capacity: 150kg
 Wheel: 10"x3PU
 Body Size:
 L1120xW1545xH435xW2185
 QTY:1300 pcs/40'HQ



HT2057M Capacity: 200 kg
 Wheel: 10" x 3.50-4 Air
 Body Size: L1310 x W1580 x H620 x W2330
 QTY: 680 pcs /40' GP



HT2046
 Capacity: 150kg
 Wheel: 10"x300-4Air
 Body Size:
 L1200xW1510xH490xW2240
 QTY:650 pcs/40'GP



HT2141
 Capacity: 150 kg
 Wheel: 10" x 3.00-4 Air
 Body Size:
 L1090xW1540xH420xW2170
 QTY: 800 pcs/40'GP



HT2027
 Capacity:200kg
 Wheel:10"x300-4Air
 Body Size:
 L1200xW1510xH490xW2240
 QTY:650 pcs/40'GP



HT0130
 Capacity:100kg
 Wheel:3.50-7PU
 Body Size:
 L1215xW1540xH500xW2340
 QTY: 660PCS/40'GP




HT4101
 Capacity:120kg
 Wheel:10"x350-4Air
 Body Size:L1370xW1510xH480xW2185
 QTY:500 pcs/40'GP



HTD1002
 Capacity:150kg
 Wheel:10"X3.50-4Air
 Motor:800W
 Battery:lithium battery 48 volts 10ah
 Building speed:
 0-60 steps/min stepless speed regulation
 Endurance:2000 steps
 Body Size:L1375xW1540xH500xW2360
 QTY: 800PCS/40'GP



HT2200
 Capacity:250kg
 Wheel:14"X4.00-6Air
 Body Size:
 L1375xW1560xH500xW2360
 QTY: 800PCS/40'GP



HTD1001
 Capacity:150kg
 Wheel:10"X3.50-4Air
 Motor:800W
 Battery:lithium battery 48 volts 10ah
 Building speed:
 0-60 steps/min stepless speed regulation
 Endurance:2000 steps
 Body Size:L1375xW1540xH500xW2360
 QTY: 800PCS/40'GP



HT2139
 Capacity:200kg
 Wheel:10"X3.50-4Air
 Body Size:
 L1245xW1615xH540xW2545
 QTY: 800PCS/40'GP





TI-151
 Body Size: :L1220xW455xH1825
 QTY: 660PCS/40'GP



TI-151A
 Body Size: :L1220xW455xH1825
 QTY: 660PCS/40'GP



TI-159A
 Body Size: :L1220xW455xH1825
 QTY: 480PCS/40'GP



TI-160
 Body Size: :L900xW450xH1800
 QTY: 840PCS/20'GP




TI-159
 Body Size: :L1220xW455xH1825
 QTY: 480PCS/40'GP



TI-160A
 Body Size: L1800xW450xH900
 QTY: 840PCS/20'GP



TC4840
 Load Capacity:480kg
 Body Size:
 L2300xW1460xH1325
 QTY:80PCS/40' GP



TI-173
 Body Size: :L1220xW455xH185
 QTY: 660PCS/40'GP



TC4836
 Wheel:8" Solid
 Body Size:L1000xW800xH1770
 QTY:84PCS/40'GP



TI-174
 Body Size: :L1220xW455xH185
 QTY: 660PCS/40'GP